

Suwannee River Water Management District

Governing Board Materials

Water Supply and Resource Management

The following materials have been reviewed and approved for distribution to the Governing Board and the public.

Director of Water Supply and
Resource Management

Assistant Executive Director

Executive Director

MEMORANDUM

TO: Governing Board

FROM: Tim Sagul, Senior Professional Engineer

DATE: November 22, 2010

RE: Authorization for the Executive Director to Enter Into an Agreement with the Federal Emergency Management Agency (FEMA) to Administer Risk MAP (Mapping, Assessment and Planning) for Fiscal Year (FY) 2010

RECOMMENDATION

Staff recommends the Governing Board authorize the Executive Director to enter into an agreement with FEMA to receive \$1,412,500 to implement FEMA's Risk MAP Program throughout the District for FY 2010.

BACKGROUND

The Suwannee River Water Management District is a Cooperating Technical Partner for implementing FEMA's Risk MAP program. A five-year business plan has been approved by FEMA that identifies the District's vision and level of participation for supporting Risk MAP for each county.

To implement this plan, District staff developed a Mapping Activity Statement (MAS) for FEMA's FY2010 (our FY 2011) that details a step-by-step process to enhance the Digital Flood Insurance Rate Map and provide Risk MAP products for the Lower Suwannee River basin, as designated by United States Geological Survey Hydrologic Unit Code 03110205, along with an education and outreach plan. The Mapping Activity Statement (MAS) for FY2010 has been approved by FEMA. FEMA has awarded the District \$1,412,500 to implement the MAS. FEMA will reimburse the District actual expenses on a monthly basis.

/jl

MEMORANDUM

TO: Governing Board
FROM: Tim Sagul, Senior Professional Engineer
DATE: November 22, 2010
RE: Authorization for the Executive Director to Extend Contracts with Selected Firms for Implementation of the FEMA Risk MAP Program within the Mapping Activity Statement (MAS)

RECOMMENDATION

Staff recommends the Governing Board authorize the Executive Director to extend contracts with the firms previously selected for implementation of the Federal Emergency Management Agency (FEMA) Risk MAP project for activities within FEMA's Fiscal Year (FY) 2010 MAS, not to exceed \$1,112,500.

BACKGROUND

The District is a Cooperative Technical Partner (CTP) assisting in the implementation of FEMA's Risk MAP Program. A five-year business plan has been approved by FEMA that identifies the District's vision and level of participation for supporting Risk MAP for each county, and subsequently, a MAS is developed for each year of participation. The Lower Suwannee River basin, as designated by USGS Hydrologic Unit Code 03110205, is the project area for FY 2010.

The Governing Board approved the Executive Director to enter into contracts with six qualified firms (list attached) on October 13, 2009. These firms have begun work under the FY 2009 MAS approved by FEMA. Using these firms again will expedite work under the FY 2010 MAS for which funding has already been awarded. The Risk MAP (Mapping, Assessment, and Planning) program will bring to communities map and database products packaged alongside the digital flood insurance rate maps to locate where they might have risk, understand what the risk is, and plan to reduce their losses during disasters.

The District will be reimbursed actual expenses by FEMA on a monthly basis for work performed. Total reimbursements shall not exceed \$1,112,500.

Budget Code: 45 2 586 3 1300 12 02 010

/jl

October 2009 Approved Risk MAP Firms

PBS&J Corporation
AECOMUSA, Inc.
Jones Edmunds & Associates, Inc.
Cardno TBE
AMEC Earth & Environmental, Inc.
Taylor Engineering, Inc.

MEMORANDUM

TO: Governing Board

FROM: Jon Dinges, Department Director

DATE: November 22, 2010

RE: Authorization to Publish Notice of Change and File Amendments to Section 40B-1.706, F.A.C.

RECOMMENDATION

Staff recommends the Governing Board authorize staff to:

1. Publish a Notice of Change for Section 40B-1.706, F.A.C.; and
2. File 40B-1.706 with the Department of State if no comments or objections are received.

BACKGROUND

On September 14, 2010, the Governing Board authorized publication of rule development and proposed rule for 40B-1.706, F.A.C. The Notice of Rule Development appeared on September 24, 2010, and the Notice of Proposed Rule appeared on October 1, 2010.

The District has received comments from the Joint Administrative Procedures Committee (JAPC) that require additional changes to this rule.

If no objections or requests for workshop are filed within 21 days after publication, the District will file the proposed rules with the Joint Administrative Procedures Committee (JAPC) for review.

Governing Board authorization is required by 120.54(3), Florida Statutes, for filing of the rules for adoption. Filing with the Department of State will occur following JAPC review. The rules will become effective 20 days after filing with the Department of State.

A copy of the notice follows this memorandum.

/lgw

NOTICE OF CHANGE

NAME OF AGENCY:
Suwannee River Water Management District

RULE CHAPTER TITLE:
General and Procedural Rules

RULE CHAPTER NUMBER:
40B-1

RULE TITLES:
Fees

RULE NOS.:
40B-1.706

Notice is hereby given that this rule has been changed to reflect comments received from the Joint Administrative Procedures Committee. When changed, the rule shall read as noted below:

TABLE 1.A. SCHEDULE OF PERMIT FEES

WATER USE PERMITS

General Water Use Permits Less than 10,000 GPD-ADR per subsection 40B-2.041(4), F.A.C.	\$100
Modification or Renewal	\$50
General Water Use Permits <u>10,000 GPD-ADR or more and less than 2,000,000 GPD-ADR</u> as per paragraph 40B-2.041(4), F.A.C.	\$230
Modification or Renewal	\$115
Individual or Conceptual Approval Water Use Permits per subsection 40B-1.703(3) and subsection 40B-2.041(5), F.A.C.	\$530
Modification or Renewal	\$265

TABLE 1.B. No change.

IF REQUESTED WITHIN 21 DAYS OF THE DATE OF THIS NOTICE, A HEARING WILL BE SCHEDULED AND ANNOUNCED IN FAW.

THE PERSON TO BE CONTACTED REGARDING THE PROPOSED RULE AMENDMENTS: Linda Welch, Rules and Contracts Coordinator, SRWMD, 9225 C.R. 49, Live Oak, Florida, 32060, (386)362-1001 or (800)226-1066 (FL only).

NAME OF PERSON ORIGINATING PROPOSED RULE: Jon Dinges, Director, Water Supply and Resource Management, Suwannee River Water Management District, 9225 County Road 49, Live Oak, Florida 32060, (386)362-1001.

NAME OF SUPERVISOR OR PERSON WHO APPROVED THE PROPOSED RULE: Governing Board of the Suwannee River Water Management District.

DATE PROPOSED RULE APPROVED: September 14, 2010.

DATE NOTICE OF PROPOSED RULE DEVELOPMENT PUBLISHED IN FAW: September 24, 2010.

DATE PROPOSED CHANGES APPROVED: December 14, 2010

MEMORANDUM

TO: Governing Board
FROM: Megan Wetherington, Senior Professional Engineer
DATE: November 22, 2010
RE: Declaration of a Phase I Water Shortage Advisory

RECOMMENDATION

Staff recommends the Governing Board declare a Phase 1 Water Shortage Advisory in accordance with 40B-21, Florida Administrative Code, effective for all counties in the District.

BACKGROUND

Staff has identified the need to declare a Water Shortage Advisory based on extremely low flows in the Santa Fe and Suwannee River Basins. Average 7-day and 8-week streamflows as of November 16, 2010, were below the 5th percentile compared to the period of record flows for long-term gages on those rivers. Staff also considered declining groundwater levels throughout the District and forecasts calling for continued dry conditions through the winter in making this recommendation. The National Weather Service predicts a high chance of drier than normal conditions through the next six months.

A Water Shortage Advisory is a notice from the District that hydrologic conditions are abnormally low, or low for the season, and that further reductions in supply or increased use may result in the declaration of a water shortage and water use restrictions. Although no mandatory restrictions are included in a Water Shortage Advisory, all users are encouraged to initiate conservation and eliminate wasteful or inefficient water use. Water users planning to implement long-range conservation measures are encouraged to speed implementation to the greatest extent practical. Attached is a breakdown by major water use category listing potential water conservation measures.

Pending Governing Board approval, this advisory will be in effect from December 14, 2010, until the Governing Board deems the advisory no longer necessary. Notices will be published in accordance with 40B-21.275(3), F.A.C.

MW/dd

Phase I Water Shortage Advisory - Attachment

Agriculture

Agricultural users are encouraged to initiate conservation measures such as limiting irrigation between the hours of 10AM and 4PM, eliminate wasteful or inefficient water use, and speed implementation of any long-range conservation measures to the greatest extent practical.

Commercial/Industrial

Commercial users are encouraged to conserve through areas such as limited landscape irrigation and non-essential water uses, and implement conservation measures to the greatest extent practical. They are also encouraged to eliminate wasteful or inefficient water use and implement any long-range conservation measures to the greatest extent practical.

Potable Water Supply

Potable water supplies are encouraged to conserve water through areas such as educating rate payers/users in indoor conservation and limiting landscape irrigation. They are also encouraged to eliminate wasteful or inefficient water use and speed implementation of any long-range conservation measures to the greatest extent practical.

Augmentation

Users are encouraged to reduce or eliminate augmentation to the greatest extent practical, unless the augmentation is for an essential use. They are also encouraged to eliminate wasteful or inefficient water use and implement any long-range conservation measures to the greatest extent practical.

Other

All other users are encouraged to reduce or eliminate wasteful or inefficient water use and implement any long-range conservation measures to the greatest extent practical.

MEMORANDUM

TO: Governing Board

FROM: Carlos Herd, Senior Hydrogeologist

DATE: November 22, 2010

RE: Approval of the 2010 Water Supply Assessment and Delineation of Water Supply Planning Regions

RECOMMENDATION

Staff recommends the Governing Board accept the 2010 Water Supply Assessment declaring water supply planning regions within the Upper Santa Fe River Basin, the Lower Santa Fe River Basin, the Upper Suwannee River Basin, and the Alapaha River Basin.

BACKGROUND

On February 10, 2009, the Governing Board authorized the Executive Director to enter into a contract with Entrix, Inc., to prepare an update to the Suwannee River Water Management District's (District's) 2004 Water Supply Assessment. The 2010 Water Supply Assessment identifies four regions within the District where groundwater supplies will not be adequate to meet projected demands for the planning period (2010 to 2030). These proposed water supply planning regions include the Upper Santa Fe River Basin, the Lower Santa Fe River Basin, the Upper Suwannee River Basin, and the Alapaha River Basin.

In accordance with Chapter 62-40.531, Florida Administrative Code, "...each governing board shall develop a regional water supply plan for each water supply planning region for which the Districtwide water supply assessment determines that the sources of water are not adequate to supply water for all existing and projected reasonable-beneficial uses and to sustain the surface and ground water resources and related natural systems."

Staff will send a copies of the final report to the Governing Board approximately one week prior to the December 14, 2010, meeting.

CH/dd

MEMORANDUM

TO: Governing Board
FROM: Jon Dinges, Department Director
DATE: November 22, 2010
RE: North Central Florida Regional Planning Council's Proposed Policy Regarding "Inter-basin" Transfers of Water

RECOMMENDATION

Staff recommends the Governing Board propose the following language to the North Central Florida Regional Planning Council regarding its proposed policy on transfers of water:

Encourage the development of local and regional water supplies within water management districts instead of the transport of water across district boundaries, recognizing the requirements of chapter 373, Florida Statutes, and chapter 62-40, Florida Administrative Code.

BACKGROUND

In response to concerns regarding water resources in northeastern Florida, the North Central Florida Regional Planning Council (NCF RPC) initiated a proposed policy amendment to its Strategic Regional Policy Plan regarding what it termed "inter-basin" transfers of water. The policy amendment would replace an existing policy that reads as follows:

Ensure that state policy is adopted which would require water shortage areas to establish other alternatives, such as desalination, prior to the interbasin transfer of water to serve other needs.

The NCF RPC's proposed policy amendment states:

Discourage any form of interbasin transfer of water until the receiving jurisdiction has exhausted all available water supply alternatives and conservation measures.

While the NCF RPC's concerns are justified and welcomed by both the St. Johns River and Suwannee River water management districts, the language of the proposed policy amendment can be improved by restating it as a positive statement that is also clearly not a mandate, which would conflict with the exclusive authority of the water management districts to regulate consumptive uses of water pursuant to sections 373.217 and 373.223(2), Florida Statutes.

The language recommended above is also consistent with a proposal by the St. Johns River Water Management District and does not encroach on the districts' exclusive regulatory authority in the area of water use.

JD/dd

MEMORANDUM

TO: Governing Board

FROM: Carlos Herd, Senior Hydrogeologist

DATE: November 22, 2010

RE: Authorization to Enter into a Contract with J. Sherman Frier & Associates, Inc.

RECOMMENDATION

Staff recommends the Governing Board authorize the Executive Director to enter into a contract with J. Sherman Frier & Associates, Inc., for an amount not to exceed \$35,000, to provide technical support in the development of minimum flows and levels (MFLs).

BACKGROUND

Surveying of river bathymetry, wetland elevations, and other features like spring elevations, is needed to establish MFLs. These data are used in river model development as well as determination of in-stream habitat and wetland inundation requirements. Staff submitted a memorandum to the Governing Board at the August 2010 meeting recommending approval of a pre-qualified list of contractors for surveying services. J. Sherman Frier & Associates, Inc. (J. Sherman Frier), of Live Oak, Florida, is one of the approved firms.

Under this proposal, the District would contract with J. Sherman Frier for technical assistance during Fiscal Year 2011. The proposed agreement would include work on the Upper Suwannee River including surveying the bathymetry of Big Shoals, Little Shoals, and White Spring at the Stephen Foster State Park.

The estimated budget for this work for Fiscal Year 2011 will not exceed \$35,000. Staff will expend only the funds necessary to gather essential data.

Funds for this contract are in the Fiscal Year 2011 budget in Fund Code 36 and 01.

JG/dd

MEMORANDUM

TO: Governing Board
FROM: Jon Dinges, Department Director
DATE: November 22, 2010
RE: Activity Report, Water Supply and Resource Management

Upper Santa Fe River Basin Water Supply Plan:

- Staff received a draft outline of the Water Supply Plan for the Upper Santa Fe River Basin.
- Staff attended a coordination meeting with the St. Johns River Water Management District staff on November 17, 2010.
- Staff continues to meet regularly with St. Johns River Water Management District via conference calls to coordinate activities in the water supply planning process.

Staff attended a meeting of the North Central Florida Regional Planning Council to participate in discussion about inter-basin transfers of water.

Staff attended a meeting with the State of Georgia to coordinate water resource issues.

Spring Protection, Surfacewater, Groundwater and Biological Monitoring:

- Staff collected water chemistry samples at 20 groundwater sites.
- Staff observed levels and maintained gaging stations at 181 wells, 21 lakes, and 19 stream stations.
- Staff met to discuss monitoring strategies to support Minimum Flows and Levels, Water Supply Assessment, and other programs.
- Staff attended the Gulf of Mexico Monitoring Alliance forum to investigate how to streamline monitoring efforts among different agencies.
- Staff participated in the quarterly North Central Florida Local Emergency Planning Committee meeting.
- Rainfall from 39 telemetered sites was reported to the Southeast River Forecast Center.
- Staff measured discharge at 4 stations.

Water Use Monitoring:

- Staff monitored 140 telemetered water use monitoring devices on 41 agricultural operations. Water use on monitored wells in October was 660 million gallons, averaging 21.3 million gallons per day.

- Staff continues the assessment of water use permits that use between 100,000 and 500,000 gallons per day in the Upper Santa Fe Basin.

Minimum Flows and Levels (MFLs):

- Staff is continuing development of project scopes, plan, budget, and schedule to establish MFLs as presented to the Governing Board.
- Contractor submittals are being reviewed by staff for task selection.
- Staff is developing a template for the “master contracts” for use with the selected firms. We are still awaiting final negotiated rate sheets for the contractors from Southwest Florida Water Management District.
- Staff is identifying field data sites along the Lower Santa Fe River to support project planning efforts and upcoming work on minimum flows and levels.
- A contract is under development for surveying on the Lower Santa Fe River following Board approval of Delta Surveying.
- Staff held a strategic discussion of approaches and technical methods for all proposed minimum flows and levels water bodies.

Water Conservation:

- Staff is collecting information from the other water management districts on their approach to water conservation retrofit cost sharing. Staff will develop a proposal for consideration by the Governing Board in upcoming months.

Suwannee River Partnership Activities:

- Staff assisted with cow-calf regional workshops held in Madison and Jackson counties.
- Staff assisted with UF-IFAS Extension Agent in-service training that covered topics related to manure management, numeric nutrient standards, water supply, and Best Management Practices (BMPs).
- Staff assisted with the organization of the Florida FFA Environmental Contest held at the UF-IFAS Live Oak Research Center.
- Staff assisted with an advanced irrigation management workshop to demonstrate new technology.
- Staff met with UF nursery specialists to discuss nutrient and irrigation management tools for nurseries.
- Staff assisted with a quarterly Suwannee Partnership leadership committee meeting where members heard updates on water supply, numeric nutrient standards, and regional energy projects.
- Staff continued to work with the Suwannee and Levy Soil and Water Conservation Districts to assist farmers with the BMP crop tools cost share program.

- Staff is working with dairy industry representatives to develop advanced nutrient management record keeping programs.
- Staff attended springs workgroup meetings to help facilitate awareness of agriculture BMP programs.
- Staff visited farmers to help with BMP implementation assurance, follow-up, sampling assistance, record keeping assistance, and other education.
- Staff assisted the Florida Department of Agriculture and the United States Department of Agriculture with a poultry grower Disaster Program meeting. The program is designed to help those growers who lost contracts several years ago.
- Staff continued to work on the BMP Implementation Assurance program for dairy and poultry operations.
- Staff assisted farmers with water use permit renewals.
- Meetings and Events
 - UF – IFAS Watermelon Grower Workshop December 7 Trenton
 - UF – IFAS Drip Irrigation Workshop December 16-17 Live Oak

Regulatory Activities:

Water Use

- Staff participated in the annual Sunbelt Agricultural Exposition in Moultrie, Georgia.
- Staff participated in a demonstration with FarmLinc Irrigation Management on irrigation monitoring tools.
- Staff conducted a water conservation presentation for the Cedar Key Women’s Club.
- Staff met with representatives from Florida Fish and Wildlife concerning use of surfacewater from the Aucilla River to test the acceptance rate of a sinkhole near Sneads Smokehouse Lake in Jefferson County. The intention is to eventually remove an earthen dam separating the sinkhole from Sneads Smokehouse Lake as part of the Aucilla River system.
- Staff has received multiple e-mails and phone calls concerning a possible modification of Nestle Waters North America’s water use permit. Staff has developed a procedure to keep track of all concerned citizens.
- An extension request was submitted and granted for the Camp Weed/White Lake Augmentation permit, 2-09-00020M.
- District staff attended the Statewide Stormwater Rule and Reclaimed Water workgroup on November 19 at Reedy Creek.
- Staff participated in the Columbia County Fair manning The Ichetucknee Partnership/Water Conservation booth.

Environmental Resource Permitting

Staff is participating in the Statewide Storm Water Treatment rule development through meetings and conference calls.

Permitting Activities:

- The following table summarizes permitting activities during the month of October.

October 2010	Received			Issued		
	Noticed General	General	Individual	Noticed General	General	Individual
Environmental Resource Permits	15	7	7	10	4	1
Water Use Permits	4			4		
Water Well Permits	93			93		
Water well permits issued and received according to well use:						
Abandoned/destroyed	0	Livestock		0		
Agricultural Irrigation	3	Monitor		17		
Aquaculture	0	Nursery		0		
Climate Control	0	Other		0		
Fire Protection	0	Public Supply		3		
Garden (Non Commercial)	2	Self-supplied Residential		66		
Landscape Irrigation	2	Test		0		

- The Rulemaking Schedule and Compliance and Enforcement Report follow this memorandum.
- Edwards Road Bottomlands Wetlands Restoration Project, Bradford County: BCI Engineers and Scientists are in the process of modeling and designing the proposed system. Preliminary modeling results were completed on November 15, 2010. A meeting is being planned to discuss the results in late November.
- Columbia County Stormwater: The County is in the planning stages with several projects. There will be no construction of projects in fiscal year 2009/2010 because the County and the District mutually agreed to suspend construction due to budget constraints.

FEMA Map Modernization:

- Levy County: Preliminary map panels will be issued, an advertisement in the Federal Register will be published, and then the official 90-day appeal period can begin. Staff continues to coordinate with the county and municipalities. The preliminary DFIRMs are expected to be published within the next 30 days.
- Bradford County: The official 90-day appeal period to the preliminary DFIRM began July 1, 2010, and ended October 1, 2010. A list of appeal and protest resolutions has been created and will be submitted to FEMA for review.
- Jasper Stormwater: Construction is basically complete. A final walk through was conducted on November 10, 2010. A punch list was prepared and the contractor is working on the corrective list of substandard items and the as-built certification.
- Greenville Stormwater: The District has developed a revised Interlocal Agreement (ILA) with the Town of Greenville (Town) to provide financial aid for the Town's efforts in solving its stormwater problems. The revised ILA provides matching funds, upon Town's purchase and request for reimbursement, of construction materials used to enhance and improve its drainage problems. The revised ILA includes additional funds provided by the Florida Department of Transportation in the amount of \$46,760. This provides a total of \$93,520; however, the District's matching funds will still not exceed \$50,000.

Thank you for your attention to this summary of current activities. Please feel free to contact staff prior to the December 14, 2010, Governing Board meeting if you would like further information.

/dd

Upcoming Rulemaking

Rule & Description	Request Bd. Auth. for RD	Notice of Rule Dev.	Request Bd. Auth. for PR	Notice of Proposed Rule	Send to JAPC	Mail to DOS (tentative)	Effective Date (tentative)
40B-1.706*	9/14/10	9/24/10	9/14/10	10/1/10	9/24/10		
Fee Schedule-Consistency with 40B-2 Citations							
40B-2	9/8/09	9/18/09					
Upper Santa Fe River Basin Permit Duration							
40B-2.025**	5/13/10	6/4/10	5/13/10	6/11/10	6/7/10		
Review of Unsolicited Information—Proposed amendments are being withdrawn; see below							
40B-4.1020	10/12/10	10/22/10	10/12/10	10/29/10	10/22/10		
Clearing Definition							
40B-4.1090	6/8/10	6/18/10	6/8/10	12/3/2010	11/23/10		
Incorporation of Hamilton and Madison FEMA Flood Studies							
40B-4.3030	10/12/10	10/22/10	10/12/10	10/29/10	10/22/10		
Diseased Vegetation Determination							
40B-400.091	12/9/08	12/19/08					
ERP Handbook-Bald Eagle De-listing							

* This proposed rule was reviewed by Joint Administrative Procedures Committee (JAPC) and JAPC had concerns that staff has addressed with the proposed Notice of Change in the December 2010 Governing Board materials.

** This proposed rule was reviewed by JAPC and JAPC had concerns that staff was unable to sufficiently address. Staff will withdraw this rule from the rulemaking process.

Compliance and Enforcement

updated 11/23/2010 12:05:48 PM

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE04-0025	COLUMBIA	10/8/2004		Stormwater system not constructed as permitted.	Jeffrey Hill/Smithfield Estates	See the enforcement and litigation report from legal counsel for information.	Dinges, Jon
CE05-0017	COLUMBIA	4/14/2005		Alteration of dam without a permit.	Jeffery Hill	See the enforcement and litigation report from legal counsel for information.	Dinges, Jon
CE05-0031	COLUMBIA	6/13/2005	8/8/2008	Failure to maintain stormwater system as permitted.	Ray Sessions/Commander Row & Cannon Creek North	Draft Notice of Violation received from Jennifer Springfield on 4/20/06. Staff reviewed the Notice and returned it to Ms. Springfield no later than 4/25/06. Response received 5/16/06, indicating Mr. Sessions was not responsible. Ms. Springfield sent letter to Mr. Sessions' attorney on 5/24/06. Received Construction Remediation Schedule from Bill Freeman 5/30/06. Work to be complete by 9/15/06. Southern Approaches complete. Staff inspected. S. Approaches complete. Other projects under review. Letter from B. Freeman 12/12/06. Work to be completed by 12/15/06. Applications received. RAI mailed 11/6/06. See Board memo for updates. Letter to Mr. Freeman mailed 4/16/07. 18 days to install culverts (SWM4-91-00187). File sent to J. Springfield 9/6/07. Letter sent from J. Springfield to Mr. Sauriol, HOA President on 12/20/07; 60 days to correct violations. Letter from J. Springfield mailed on 1/18/08; 30 day extension granted. 30 days to submit application. Received letter from Cannon Creek HOA 2/8/08; 180 day extension requested. Received letter from attorneys regarding resolution on 9/22/08. Legal comments: District staff met with Greg Bailey who is working on the flooding problem as part of a master plan for the entire basin. In the event Mr. Bailey's plan is approved and constructed, it will also address the compliance issue under this permit.	Sagul, Tim
CE05-0046	COLUMBIA	12/5/2005	8/6/2010	Failure to maintain stormwater system.	Justin Fitzhugh / Movie Gallery	See the enforcement and litigation report from legal counsel for information.	Marshall, Leroy
CE09-0027	LEVY	3/1/2009	1/1/2011	Unpermitted development.	Marvin Franks / Cedars Airfield, Inc.	14 days to contact District. Spoke with Mr. Franks on 3/10/09. Met with Mr. Franks on 3/19/09. Mills Engineering hired and will submit application and plans by 12/31/09. Received ERP application 12/18/09. As of 5/12/10, we have not received any additional information as requested. Mitigation plans, UMAM & engineering information received. RAI letter sent 8/16/10. Received additional information from engineer on 9/22/10 and on 10/11/10. Currently under review by staff. RAI sent by staff to owner on 10/20/10. Response deadline is 1/19/11.	Webster, Patrick
CE09-0059	DIXIE	10/23/2008	9/21/2009	Unpermitted structure within floodway.	Ronald Berg	File to legal 7/28/09. Letter sent from legal 9/4/09:18 days to pay penalty, restore site & apply for ERP permit. Sent photos to legal 12/14/09. 3/9/10; Board approved authorization to file complaint. Legal preparing Administrative Complaint. 5/17/10; staff sent Mr. Berg an engineers list. Received WOD application from Mr. Berg 9/9/10. Permit ready to issue pending receipt of cost & penalties. Legal in contact with Berg regarding costs. Letter sent from legal 10/26/10; 18 days to pay penalty and costs. As of 11/22/10; no response.	Hastings, John

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE06-0058	LEVY	8/2/2006	10/18/2010	Unpermitted construction.	Douglas McKoy	45 days to submit application package. Due 9/14/06. Received permit application 9/15/06. RAI mailed on 10/4/06. 12/18/06 received request for time extension. Letter from Mr. Ellington 4/12/07 requesting extension. He called and said he would be sending in an application soon. Meeting scheduled with Donnie Ellington on 7/23/07 to discuss project. Mr. McKoy called on 9/18/07 requesting an extension due to Ellington's issues. Received letter 9/21/07. Extension until 12/10/07. In the process of selling this parcel. Received ERP fee 12/5/07. RAI letter mailed 1/3/08; Met with Mr. McKoy on 2/13/08. Wetland jurisdictional conducted at the site on 3/11/08. Waiting on determination to arrive from Mr. McKoy. Received determination 4/28/08. Bill Spencer visited site on 5/1/08 to inspect wetland delineation. Recommend that wetland line be placed on site plan survey. RAI sent on 5/12/08. RAI sent 7/25/08; Received letter from Mr. McKoy on 8/28/08; working on the survey. 10/30/08 prepared ERP permit for denial, and prepared legal fact sheet to give to Tom Brown. File sent to legal 11/4/08. Met with Mr. McKoy 11/13/08 to go over a plan to permit the subdivision. Must have a site layout and an engineer hired by 1/7/09. Per email date 3/12/09, an engineer has been hired and they are working on submittal. Received e-mails; lack of money has prevented him from moving forward. Issue went to the October 2009 Board for denial of ERP and request for legal action. Item pulled from Board agenda per GB members. Received email 10/15/09. Project pulled from December 2009 Board agenda since we received notices that an engineer and surveyor are back working on the plans as of 12/7/09. Received email from engineer, and he said that nothing has happened since December 2009. Tabled at April 2010 Board (Denial) until May 2010 meeting. Received emails from applicant's. Permit denial was pulled from the Governing Board agenda. Spoke with engineer 8/2/10; has received information from Mr. McCoy. Should have plans and calculations submitted by 9/1/10. Sent email 9/13/10; for submittal date. Spoke with engineer, Walter Jarvis, and he said he would have plans and calculations to the District by 10/18/10. On 11/1/10, the engineer stated that the response submittal was in the mail. As of 11/22/10, nothing had been submitted.	Webster, Patrick
CE06-0107	LAFAYETTE	12/12/2006	4/28/2009	Construction without a permit.	Linda Fennell	See the enforcement and litigation report from legal counsel for information. Court date scheduled for 2/2/11.	Marshall, Leroy
CE07-0087	MADISON	9/26/2007	8/7/2009	Unpermitted structure within the floodway.	Charley Hicks, Jr.	See the enforcement and litigation report from legal counsel for information.	Robinson, Vince
CE10-0016	JEFFERSON	2/9/2010	8/21/2010	Unpermitted construction.	Judy Miller	45 days to submit ERP modification or restore site. The Respondent(s) have hired Environmental Consulting and Technology (ECT) from Tallahassee, to determine how to bring the dam into compliance with District rules. Louis Mantini was contacted by a representative from ECT on 03/8/10, and informed of their being retained for this work. No designs have been received as of 03/12/10. 4/19/10; compliance meeting between District staff and the property owner's engineering consultant, Ronald Potts. Plans are forthcoming, as of 05/13/10 - conceptually, there will be additional culverts added to the dam for drainage. A visit was conducted at the request of Mr. Tuten on 06/01/10, to make a rough-estimate of the additional culvert cross-sectional area that might be required for the site. Discussion regarding the results is pending as of 06/21/10, but it remains necessary that the Respondent will require the services of a P.E. 18 day letter sent 8/3/10. The District received a correspondence from Ms. Miller on 8/18/10, requesting "an extension of up to five years to complete any necessary changes to our as built site dam". This is a response to the District's request for a compliance schedule. Ms. Miller was informed during a 09/08/10 phone conversation that the District will negotiate a compliance schedule but cannot accept duration of five years for compliance; she understood and will wait for the District to draft a compliance agreement. Staff preparing compliance agreement for review.	Mantini, Louis

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE10-0026		4/20/2010	12/3/2010	Unpermitted construction.	Sam Oosterhoudt-Lake City Developers, LLC.	SWO had delivered 4/20/10. NOV sent 4/26/10. 14 days to contact District. File sent to legal 5/21/10. Call from Mr. Oosterhoudt on 5/26/10. Engineer has been hired and no other work to be done until permit is modified. Informed legal to hold off. Email to legal, no contact from owner since 5/26/10 phone call. Received ERP application 7/26/10. Sent RAI 8/11/10. 18 day letter sent 11/15/10.	Marshall, Leroy
CE10-0036	COLUMBIA	7/29/2010	8/16/2010	Failure to maintain surfacewater management system.	Michelle O'Brien - Lake City Home Depot	14 days to contact District. The Home Depot responded in a timely fashion to the Notice of Non-compliance. District staff met on-site with Marilyn Combs from Home Depot on 08/30/10. A follow-up correspondence was sent on 09/14/10 to address the repair of the berm and weir that controls the water elevation in their created wetland/ stormwater storage basin. Staff to meet with Home Depot contractors on 10/27/10. The District met on-site on 10/27/10 with Home Dept's contractors and engineering consultant. The original hydrologic study was sent to the engineering consultant on 10/28/10 with aerial imagery. The engineering consultant will contact the District to discuss their plan prior to submitting any requests for authorization of permit modifications. E-mail sent to on 11/12/10, requesting the status of the Home Depot's actions and informing that the District will need to soon formulate a compliance agreement to resolve issue.	Mantini, Louis
CE10-0029	LEVY	5/25/2010	8/21/2010	Wetland impacts.	Anthony & Stephanie Beckham	14 days to contact District. Met on-site 5/25/2010, and made an initial assessment of the impacts. Spoke with Ms. Beckham on 6/8/10, and discussed both submittal for a General ERP and fine-tuning the District's approximation of wetland boundaries to alleviate the requirement for mitigation. An example General ERP engineered site plan was e-mailed to Ms. Beckham similar to hers and her husband's project on 06/08/10. Sent 18 day letter 8/3/10. Received letter from Mills Engineering on 8/18/10 requesting a 90-day extension to bring project into compliance. The request was granted, and staff discussed proposed site development plan with Mill's Engineering on 09/08/10. Staff scheduled to meet with Mr. and Ms. Beckham on 09/17/10 to discuss their plan. The 09/17/10, site visit was conducted under extremely wet conditions due to recent inclement weather, and on-site vegetative indicators provided evidence that the excavated area could have been a wetland. In order to fine-tune the impacted wetland boundaries, National Wetland Inventories (NWI) were grossly out of registered and not considered for this reason, and for the reason that the delineation rule (62-340, F.A.C.) did not allow their use. A soils survey was downloaded from the USDA-NRCS Soil Mapper website, and the nearest depression soil mapping units were Placid and Samsula, and Placid and Popash. The excavated area was neither. An e-mail pre-application correspondence was prepared on 09/20/10, providing the Beckhams instruction on applying for a Noticed General ERP, per 40B-4.2010(1)(a), 10, F.A.C. This CE-file will be closed upon receipt of an ERP application. A telephone message was left on 10/14/10, with Ms. Beckham in order to confirm current mailing address; when confirmed, the pre-application correspondence will also be mailed.	Mantini, Louis
CE10-0037	BRADFORD	7/30/2010	11/7/2010	Unpermitted fill in drainage ditches within drainage easements.	Roger Griffis	7 days to contact District. Site inspection 8/12/10 and on 9/17/10. Working on resolution to violation with Matt Mitchell. On 9/24/10 Matt instructed staff to send future correspondence letters to Ed Burns and the Homeowners Association about Mr. Griffis from this point forward. Then the Homeowners Association can deal directly with Mr. Griffis. Called and Left a message for Ed Burns on 9/28/10 to give him a heads up on this future course of action. Sent out a letter to Mr. Burns and the Homeowners Association about the concerns with Mr. Griffis and his work on 10/7/10. District staff will conduct a field review to see what progress has been made by 11/30/10.	Webster, Patrick
CE10-0045	LEVY		10/11/2010	Unpermitted road construction.	Scott McNulty	14 days to contact District and County Road Department. Conducted a meeting with County, Mr. McNulty, and Lee Mills, P.E., on 10/12/10. Mr. Mills needed to determine how to proceed towards devising a plan for his client, Mr. McNulty. Received message from Mills Engineering on 11/19/10; will not take this job due to conflicting interests. Staff to prepare letter setting deadline of 12/15/10 to submit credible resolution schedule.	Mantini, Louis
CE04-0003				Unpermitted construction.	Jeff Hill / Haight Ashbury	See the enforcement and litigation report from legal counsel for information.	Dinges, Jon

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE08-0043	SUWANNEE	6/26/2008	8/24/2010	Unpermitted construction.	Derrick Freeman	90 to days to remove structure. Staff to follow up by 4/15/09. Site visit 3/26/09. Sent reminder letter 3/30/09. Staff to inspect by 6/15/10. Sent letter 5/24/10; 30 days to remove structure. File to Legal 7/30/10. Letter sent from legal 8/9/10; 15 days to pay fines and penalties & remove structure. Letter returned to legal undeliverable. Legal to serve Mr. Freeman.	Marshall, Leroy
CE08-0035	COLUMBIA	4/15/2008	12/30/2009	Non-conformance with Erosion Control Plan.	Robert F. Jordan / Turkey Creek Subdivision	Sent letter 11/20/09 to contact District by 12/4/09 and repair problems by 12/30/09. Received response letter 11/30/09. 11/27/09; received telephone call from Robert Jordan requesting a teleconference with him, Phil Bishop and SRWMD to review As-Built requirements determined in 9/10/09 meeting. 1/27/10; received as-built plans. 3/11/10; no update. 4/4/10; Mr. Jordan has prepared his portion of the as-built drawings, BB&L has submitted their portion. Jerry Bowden is reviewing.7/20/10; Jerry Bowden & Rick Johnston reviewed the site for as-built certification.	Johnston, Rick
CE08-0037	BRADFORD	8/2/2006	8/7/2010	Non-functioning pond.	Bill McCans	30 days to repair erosion problems and provide as-builts. 6/4/08 talked with Sam Smith, Chad Williams is working on a plan to get the ponds in compliance. Respondent working on resolution. Sent out email on 6/15/09 to Chad Williams, engineer, with photos of the ponds leaking. 11/3/09; emailed Mr. Williams with no response. Second NOV 1/28/10; 18 days to contact District with plans. Spoke with Chad Williams on 2/23/10. Owner agrees to move forward with fix outlined by engineer. Engineer said that he would get back to me with the required plan to fix the site around 3/23/10. Inspected site on 5/12/10, no fix has been implemented. They have been pumping out the pond, but permanent fix has to be implemented. 18 day deadline letter sent 5/13/10. 6/1/10 deadline to respond. File sent to legal 6/21/10. Letter sent from legal 7/22/10; 15 days to pay fines. Received letter 8/16/10; Respondent has retained engineering firm to correct violation.	Webster, Patrick
CE08-0022	SUWANNEE	3/3/2008	9/13/2010	Construction without a permit.	Donald Edwards	90 days to submit application package & pay penalties. Sent letter 6/6/08; 18 days to submit application package and pay \$8,000 penalty. Sent letter 7/2/08; 90 days to submit application & pay penalty. Extension request received 10/1/08. Extension granted 10/1/08. Items to be submitted on or before 10/20/08. Extension granted until 10/20/08. Received ERP application 10/20/08. RAI sent 11/6/08. Extension granted 2/18/09. Additional extension request granted. Extension granted until 12/20/09. 3/15/10; applicant wants to withdraw application. File to legal. Sent letter 7/13/10; fine of \$8,000 reinstated and permits conditions must be met by 9/13/10. As of 9/16/10, no fines or fees have been submitted. Staff to refer to January 2011 Board to recommend legal to resolve.	Marshall, Leroy
CE08-0072	COLUMBIA	12/16/2008	2/2/2010	Dredging and filling of a pond.	Larry R. and Eva Joyce Sigers	14 days to contact District. Met w/ Mr. Sigers and Tim Sagul 1/6/08. Called 1/22/09 to schedule meeting for 1/28/09. Met onsite on 2/11/09 with Mr. Sigers, Jon Dinges, Tim Sagul and Bill Spencer. Verified presence of hydric soils and hydrophytic vegetation. Discussed the need to either restore or permit after the fact with mitigation. We were asked to leave his property. Staff preparing letter to Mr. Sigers. Letter sent 2/18/09 requiring restoration plan and penalty by 3/18/09. Received letter from Mr. Sigers attorney requesting a 60 day extension. Letter sent 3/19/09; 60 day extension granted. Meeting 5/12/09; consultant working on plan. Working on impact estimate; should have material in by 6/19/09. Met with Mr. Carl Salifrio 7/8/09. Impact map was submitted. Preliminary discussions regarding resolution were continued. Mr. Salifrio will return with a proposed plan. Contacted consultant 8/24/09. Received restoration plan 8/25/09. Draft restoration plan approved with changes. ERP application received 10/13/09. RAI letter for ERP sent 11/4/09. Mailed Consent Agreements to Mr. Sigers for signature 3/29/10. No response as of 5/10/10. Received email from FDEP on 6/24/10 indicating FDEP was not interested in taking land donation as mitigation preservation. Emailed respondent's consultant 6/25/10. Mailed Consent Agreements to Siger on 10/19/10. As of 11/22/10, no response.	Spencer, William

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE10-0024	BRADFORD	3/22/2010	8/24/2010	Unpermitted pond and fill.	Richard Oldham	Site visit 3/30/10, with Mr. Oldham. During the site visit it was determined that Mr. Oldham extended a pond into an adjacent upland site without a permit. This activity can be permitted. However, spoils from the excavation were deposited within the floodplain mapped on the Oldham's property that could potentially jeopardize his neighbor, who is likely the individual that called-in the complaint. The complaint was a flooding complaint. Mr. Oldham was mailed a request for a compliance schedule, due on 05/18/10, addressing pond permitting and fill removal from the floodplain. Called and left message on 07/07/10, requesting a return call to discuss compliance. No return call was received in response to the 07/07/10, phone call. Called and left message on 07/13/10, requesting a return call and advising that District staff will refer enforcement to legal counsel and set a compliance deadline with a Compliance Agreement. Mr. Oldham returned the 07/13/10, phone call and stated that he was slowly moving the fill material. Staff informed him that a deadline must be established and is drafting an Enforcement Worksheet. In the meantime, Mr. Oldham is contacting local contractors to determine if they can assist in fill removal for a more timely compliance schedule. District staff will give Mr. Oldham the chance to draft a contract for the fill removal prior to referring enforcement to legal counsel. File to legal 8/3/10.	Mantini, Louis
CE10-0050	LEVY	10/26/2010	11/11/2010	Unpermitted pond.	Ismael Alcantara	14 days to contact District.	Mantini, Louis
CE10-0051	BRADFORD	10/12/2010	11/11/2010	Violation of permit conditions.	Brad Carter-Bradford County Board of Commissioners	14 days to contact District & schedule meeting. Meeting scheduled for 11/23/10.	Hastings, John
CE10-0052	DIXIE	11/1/2010	11/17/2010	Unpermitted fill in floodway.	Ralph McLeod	14 days to contact District. Mr. McLeod contacted me on 11/8/10 and said he would remove the fill by 12/1/10.	Robinson, Vince
CE10-0039	COLUMBIA	6/22/2010	9/17/2010	Lack of maintenance on SW system.	Johnny Dudley - Windsor Court	30 days to bring project into compliance. Site visit 8/19/10; no work has been done. File to legal 10/19/2010.	Marshall, Leroy
CE10-0042	UNION		10/25/2010	Unpermitted construction.	John Rimes, Jr. - New River Forest Villas	14 days to contact District. Jeff Rimes called on 10/04/10, and it was determine the property in question (-061927) is under the control of the City of Worthington Springs and called New River Forest Villas. Staff to follow-up and correctly identify/notify respondent. Resent NOV 10/13/10; 14 days to contact District. Resent NOV 10/12/10 with correct Respondent. John Rimes, Jr., called on 10/18/10, and spoke with Tim Sagul and Louis Mantini. He was not interested in meeting until the District disclosed the name of the anonymous complainant. He stated that he would be out of town the following week and said he would call staff when he returned. His anticipated phone call will hopefully result in a site visit to clarify the limits of the unpermitted activities, but he did not seem very cooperative or forthcoming during the 10/8/10 conversation. Staff will also follow-up on 11/1/10 to schedule a site visit. A call was made to the Union County Property Appraiser's office on 10/25/10, and there has been no update indicating change of ownership of New River Timber Villas, Inc. (i.e., Clerk of Courts, book and page recordings), so I will request such records from the Rimes. Made an attempt to call Jeff Rimes on 10/25/10, at (352) 339-6332. Jeff Rimes contacted District on 10/28/10; he said that he will send information regarding ownership of New River Forest Villas the beginning week of November 2010. The District received information from Jeff Rimes on 11/02/10, indicating that Worthington Springs Town resolutions 2008-1 and 2006-01 accepted the dedication of the street around Worthington Springs Municipal Airport, and established the municipal airport, respectively. Unfortunately, the legal description of the roads was not attached to the resolution, so ownership is still not clearly proven. The only document provided in Jeff Rimes' correspondence, received on 11/02/10, proving transfer of ownership was a special limited warranty deed granting the Town ownership of one north-south runway (parcel 28-06-19-00-000-0011-0). I am attempting to find a contact for the Town that can provide more clearly proof of ownership of properties that have been developed without a permit in TSR061927.	Mantini, Louis

<i>CE #</i>	<i>County</i>	<i>Discovery Date</i>	<i>Date Action Required</i>	<i>Violation Summary</i>	<i>Respondent</i>	<i>Comments</i>	<i>Staff</i>
CE10-0043	ALACHUA	2/4/2010		No as-builts.	Edwin Dix / 441 Mini Warehouses	File to legal 10/20/10. EDA engineers contacted District and submitted as-builts on 10/22/10. District notified legal to hold enforcement until they hear from District. Inspected project on 10/26/10 and found it incomplete and not constructed as shown in as-builts. 10/26/10; contacted EDA regarding discrepancy. EDA to contact the owner and respond within 2 days. 10/28/10; EDA responded that the owner was getting prices and would install items by 11/30/10.	Bowden, Jerry
CE10-0055	DIXIE	11/10/2010	12/2/2010	Unpermitted ditch construction.	Glenn O'Steen - Bascom Gulf, LLC	14 days to contact District.	Mantini, Louis

MEMORANDUM

TO: Governing Board

FROM: Tim Sagul, Senior Professional Engineer

DATE: November 22, 2010

RE: As-built Compliance and Works of the District Permit Summaries

As-Built Summary January 2005 through October 2010

Permits Issued For Construction	1023
Projects in Compliance	985
Projects not in Compliance	38
• Projects in Enforcement	1
Project Extensions (Senate Bill 1752)	16

Works of the District Summary January 2009-November 2009


Permits Issued	37
Projects Constructed	22
Projects Inspected/Updated	15

Staff has implemented an environmental resource permit inspection program for construction and as-built certification. This month staff inspected eight projects under construction and 37 projects for as-built compliance. Please refer to the attachments showing:

- Inspection trendline
- Detailed list of projects that have not submitted as-builts
- Works of the District permits issued from January 2009 to November 2009.

JB/rl

Construction & As-built Inspections



		AS-BUILT LIST	
COUNTY NAME	PERMIT #	PROJECT NAME	EXPIRES
ALACHUA	ERP05-0559	WESTON OAKS SUBDIVISION	4/5/09
	ERP05-0243	BARTLEY LANE SUBDIVISION	10/27/08
	ERP06-0185	CREEL - WILCOX 2006 SPEC BUILDING	5/17/09
	ERP05-0578M	WALDO 301 TRAVEL CENTER MODIFICATION	8/14/09
	ERP06-0256M	BAILEY ESTATES SUBDIVISION MOD	9/11/09
	ERP05-0476	LTD MOTORS PARKING LOT	10/20/08
	ERP06-0008	SCHERER CONSTRUCTION SPEC BUILDING	2/23/09
BRADFORD	ERP07-0320	TRAVEL INN MOTEL EXPANSION	9/19/10
COLUMBIA	ERP07-0571	DUARTE MEDICAL OFFICE	1/16/10
	ERP06-0050	WINGATE ESTATES	2/15/09
	ERP06-0252	THE OAKS AT WOODBOROUGH	8/9/09
	ERP07-0227	BASCOM SQUARE NORTH	7/30/10
	ERP07-0267	BASCOM SQUARE SOUTH	8/13/10
	ERP07-0296	CHURCH OF CHRIST - LAKE CITY	9/6/10
	ERP07-0308	COMFORT INN & SUITES	8/2/10
	ERP06-0659M	LAKE CITY COMMONS / PUBLIX	8/14/10
	ERP07-0422	HONDA OF LAKE CITY	9/13/10
	ERP06-0543	LATTER DAY SAINTS-LAKE CITY MEETING HOUSE (4/16/01)	9/24/10
	ERP07-0033	FAIRFIELD INN & SUITES - LAKE CITY	2/22/10
	ERP96-0357M	MINI STORAGE OF LAKE CITY MODIFICATION	3/7/08
DIXIE	ERP06-0214	RIVER SHORES AT JENA	10/6/09
GILCHRIST	ERP05-0447M	FORT FANNING HISTORICAL PARK TRAILHEAD-PHASE 2	12/15/08
	ERP04-0257	QUAIL RUN SUBDIVISION (10/15/21)	10/28/07
	ERP05-0188M	WACCASASSA PLANTATION	11/9/08
	ERP06-0400	LOUDO ENTERPRISES	10/2/09
	ERP06-0675	HIDDEN MEADOWS	10/23/10
LAFAYETTE	ERP06-0119	AIRLINE BAPTIST CHURCH	4/5/09
LEVY	ERP06-0039	CHIEFLAND MIDDLE SCHOOL GYM	2/10/09
	ERP06-0356	NATURE COAST MIDDLE SCHOOL	3/5/10
	ERP95-0159M2	SUWANNEE PLAZA RETAIL EXPANSION	5/6/10
MADISON	ERP06-0605	MADISON COMMONS RETAIL & OFFICE BUILDING	12/28/09
	ERP06-0281	SONIC FAST FOODS - MADISON	6/5/09
SUWANNEE	ERP05-0313	EAGLE'S POINTE SUBDIVISION	8/9/08
	ERP91-0008M4	GOLD KIST/TRAY PLANT EXPANSION-PHASE 2	8/23/08
	ERP06-0396	DEER LAKE PRESERVE	12/20/09
TAYLOR	ERP04-0526	STEINHATCHEE GYM	11/3/07
	ERP05-0616M	GULF BREEZE CONDOMINIUMS MAINTENANCE DREDGING	2/22/10
UNION	ERP05-0389	BUTLER TOWNHOMES,LLC.	10/17/10

COUNTY	PERMIT #	PROJECT NAME	PERMITTED
ALACHUA	ERP09-0066	NYSTROM DISTRICT FLOODWAY PROJECT	8/12/09
	ERP09-0127	J. C. MARSHALL WORKS OF THE DISTRICT PROJECT	6/9/09
	ERP09-0031	THEODORE BROCK WORKS OF THE DISTRICT PROJECT	2/18/09
COLUMBIA	ERP09-0222	TED SMITH DISTRICT FLOODWAY PROJECT	10/6/09
	ERP09-0146	RICHARD & RENA SCAFF DISTRICT FLOODWAY RESIDENCE	10/15/09
	ERP08-0337	ROCKY FORD DISTRICT FLOODWAY DOCK	7/21/09
	ERP09-0115	JOHN GARTNER DISTRICT FLOODWAY PROJECT	7/13/09
DIXIE	ERP07-0550M	EDWARD LEWIS WORKS OF THE DISTRICT MODIFICATION	3/9/09
	ERP09-0075	CLINTON RAY WORKS OF THE DISTRICT PROJECT	5/15/09
	ERP08-0361M	BEARDSLEY WORKS OF THE DISTRICT MODIFICATION	3/16/09
	ERP09-0130	MARK WEVER WORKS OF THE DISTRICT PROJECT	6/8/09
	ERP08-0230M	JOHN TYRONE WORKS OF THE DISTRICT MODIFICATION	5/14/09
GILCHRIST	ERP09-0190	ALAN BAILES DISTRICT FLOODWAY PROJECT	10/26/09
	ERP09-0217	BRUCE NODINE DISTRICT FLOODWAY PROJECT	10/6/09
	ERP09-0080	LESLIE HODGE DISTRICT FLOODWAY DECK AND DOCK	8/11/09
	ERP09-0129	LAVON & LIBBY SINGLETARY DISTRICT FLOODWAY DOCK	8/6/09
	ERP09-0040	SHELTON HOOK WORKS OF THE DISTRICT DOCK	3/23/09
	ERP08-0381	MARTIN ORLICK WORKS OF THE DISTRICT DOCK	3/5/09
	ERP04-0333	BUCHANAN RIVER ACCESS	1/26/09
	ERP00-0338M2	FAIRCLOTH WORKS OF THE DISTRICT MODIFICATION #2	5/5/09
HAMILTON	ERP09-0119	H. J. RAULERSON WORKS OF THE DISTRICT PROJECT	6/23/09
	ERP09-0118	TINA COX WORKS OF THE DISTRICT RESIDENCE	6/1/09
	ERP09-0204	LELAND STEPHENSON DISTRICT FLOODWAY DOCK	9/10/09
LAFAYETTE	ERP08-0387	JANICE WOOD DISTRICT FLOODWAY DECK	10/14/09
	ERP09-0256	KENNETH MCCALL DISTRICT FLOODWAY PROJECT	11/4/09
	ERP09-0228	JAMES HELMS DISTRICT FLOODWAY PROJECT	11/3/09
	ERP01-0024M	NANCY KARLTON CREWS DISTRICT FLOODWAY MODIFICATION	8/12/09
LEVY	ERP99-0159M	VONA HORNE WORKS OF THE DISTRICT PROJECT MODIFICATION	5/21/09
MADISON	ERP09-0046	NORMA FOURAKER WORKS OF THE DISTRICT PROJECT	4/2/09
	ERP09-0206	BETTY WARE DISTRICT FLOODWAY PROJECT	10/2/09
SUWANNEE	ERP05-0086M	AULETTA WORKS OF THE DISTRICT RESIDENCE MODIFICATION	3/25/09
	ERP07-0372	FOSTER, METTE, MINSHEW & JOHNS WORKS OF THE DISTRICT	6/19/09
	ERP09-0215	BROOKS HANEY DOCK	9/18/09
	ERP09-0227	DAVID LEADBEATER DISTRICT FLOODWAY PROJECT	11/10/09
	ERP09-0141	GEORGE NEELY DISTRICT FLOODWAY RESIDENCE	7/8/09
	ERP08-0395	JAMES PREVATT WORKS OF THE DISTRICT DOCK	3/13/09
	ERP08-0396	CHARLES MORRIS WORKS OF THE DISTRICT DOCK	3/13/09